

Date received: 21-01-11

Date of issue: 02-02-11

Report consists of 1 attached sheet.

Defects before testing: None

Sample name: MAYFAIR

TACCHINI ITALIA FORNITURE S.R.L.
VIA DOMODOSSOLA 19
20030 BARUCCANA DI SEVESO (MI)
ITALIA**TEST REPORT N° 124793**

Overall dimensions: 650 x 690 x 780 (h) mm (extended uncertainty = 5 mm)

List performed tests

1. Seat and back static load test EN 1728:2000



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT N° 124793

Date of issue: 02-02-11
Sample weight Not determined
Overall dimensions 650 x 690 x 780 (h) mm (*)
Sample name: MAYFAIR



Side view



Rear view



Bottom view

(*) Extended uncertainties of weight and overall dimensions of the sample are 0,1 Kg and 5 mm, respectively

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

124793 / 1

Date received: 21-01-11

Date of test: 02-02-11

Date of issue: 02-02-11

Sample name: MAYFAIR



TACCHINI ITALIA FORNITURE S.R.L.
VIA DOMODOSSOLA 19
20030 BARUCCANA DI SEVESO (MI)
ITALIA

Seat and back static load test EN 1728:2000

Seat and back static load test, clause 6.2.1

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	470	10	No defects

Note:

According to EN 1728/00, back force has been reduced from 560 N to 470 N to avoid tipping.

Seat front edge static load, clause 6.2.2

Seat load N	Number of cycles	Remarks
1.600	10	No defects

Note:

The test has been carried out according to table 1 of EN 15373:2007, level 2 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.